

FERTILITY, GENETICS, AND EPIGENETICS FOR BOTH PARTNERS

Two Lineages, One Child

What sperm and egg carry beyond DNA, how the months before conception and the nine months after shape the expression of your child, and a twelve week plan to prepare both of you.

DR. LEILA DOOLITTLE

WELCOME

The question beneath the question.



Most couples arrive asking how to get pregnant. I would like to offer you a larger question: how do we create the healthiest human possible, beginning months before conception?

That question changes everything. It brings the father fully into the room. It turns the months before conception into a window of preparation rather than a waiting room. And it reveals something the fertility conversation often leaves out: your child inherits far more than a sequence of genes. Your child inherits the way those genes have been instructed to speak.

Biology is not destiny. It is dialogue. This guide shows you what is being said, and how both of you can change the conversation.

With care,
Dr. Leila Doolittle



INSIDE THIS GUIDE

Contents

- Chapter One · The Inheritance Beyond DNA 05
- Chapter Two · His Lineage: What Sperm Carry 10
- Chapter Three · Her Lineage: The Egg and Its Mitochondria 16
- Chapter Four · The Meeting: Reprogramming and Imprinting 22
- Chapter Five · Methylation, the Shared Language 26
- Chapter Six · The Toxic Bucket for Two 32
- Chapter Seven · The Nervous System Signal 37
- Chapter Eight · Immune Tolerance and the Microbiome 42
- Chapter Nine · Fetal Programming: The Nine Month Conversation 46
- Chapter Ten · Your Twelve Week Plan for Two 52
- Quick Reference and About the Author 57



BEFORE YOU BEGIN

How to read the science in this guide

Epigenetics is one of the most exciting fields in biology, and also one of the most overstated. To respect your intelligence, every major idea in these pages carries a label:

- **ESTABLISHED** Consistently shown in human research and broadly accepted.
- **EMERGING** Supported by growing human evidence, with questions still open.
- **ANIMAL RESEARCH** Shown clearly in animals; human relevance is plausible but not proven.
- **HYPOTHESIS** A reasoned clinical model that guides my care while the research catches up.

Nothing here promises an outcome. Fertility is shaped by many forces, some outside the control of anyone. What you can shape is the environment your cells are built in, and that turns out to be a great deal.



CHAPTER ONE

The Inheritance Beyond DNA

Genes are the score. Epigenetics is how the orchestra is instructed to play it.



LIGHT SWITCHES ON THE GENOME

Three layers of instruction ESTABLISHED

Every cell in your body holds nearly the same DNA, yet a neuron and a liver cell behave nothing alike. The difference is epigenetic: chemical and structural marks that tell each gene when to speak and when to stay quiet.

- **DNA methylation.** Small methyl groups attach to DNA, usually quieting the gene beneath them. Their raw material comes from folate, B12, choline, and related nutrients.
- **Histone marks.** DNA wraps around spools called histones. Chemical tags on those spools loosen or tighten the coil, opening genes for reading or closing them.
- **Small RNAs.** Short RNA molecules fine tune which messages get translated into proteins.

I describe genes as light switches. Toxins, chronic stress, and depletion dim the light. Nourishment, safety, and rhythm turn it up.



TWO KINDS OF INHERITANCE

What is fixed and what is written

The sequence. Half of the DNA sequence of your child comes from each parent. It is largely fixed, with one important exception: new mutations arise as sperm cells keep dividing throughout the life of a man. Roughly four in five new single letter mutations in a child come from the father, and their number rises by about one to two for each additional year of paternal age. ESTABLISHED

The instructions. Methylation patterns, histone marks, and small RNAs travel in sperm and egg alongside the sequence. Most are erased and rewritten after fertilization, but not all of them, and the environment in which the new marks are rewritten is the one both of you create. ESTABLISHED EMERGING

You cannot rewrite the genes of your child. You can influence the instructions those genes receive at the very beginning.



THREE GENERATIONS AT ONCE

The grandmother inside the mother

Here is a fact that reframes the whole conversation. A baby girl forms all of her eggs before she is born, with the number peaking at roughly six to seven million around the middle of pregnancy. ESTABLISHED

That means when your grandmother was pregnant with your mother, the egg that would one day become you was already forming inside that fetus. Three generations shared one body, one bloodstream, one environment.

The same is true now. If you carry a daughter, you are nourishing her and the first cells of your grandchildren. For a son, the stem cells that will make his sperm are established during fetal life as well.

This is why I speak about fertility as legacy work. The care you take now ripples forward further than any one pregnancy.



WHAT HISTORY RECORDED

The long memory of the womb

During the Dutch Hunger Winter of 1944 and 1945, a population that was well fed before and after endured months of severe famine. Children who were in the womb during that famine were followed for decades. As adults they showed different methylation on a growth gene about six decades later, along with higher rates of metabolic and cardiovascular problems compared with their siblings. ESTABLISHED

A record study from a remote Swedish village found that the food supply of paternal grandfathers in their preteen years was associated with the longevity of their grandsons. EMERGING The design was observational, so it cannot prove cause, but it pointed researchers toward the paternal line years before laboratory work caught up.


Intergenerational effects, from parent to child, are well supported. True transgenerational inheritance across multiple generations in humans is still debated.



CHAPTER TWO

His Lineage: What Sperm Carry

Sperm carry information, not only DNA. Half of the story begins here.



THE THREE MONTH WINDOW

A sperm cell is about ninety days in the making

Sperm production takes about seventy four days in commonly cited estimates, followed by one to two weeks of maturation in the epididymis, the coiled tube behind each testicle. ESTABLISHED The sperm that will meet the egg are being built roughly three months before conception.

That gives every father a clear, encouraging timeline. What he eats, breathes, drinks, and absorbs, how he sleeps, and how his nervous system carries stress over those weeks is written into the cells that will carry half of the inheritance of his child.

Male factor contributes to about half of the couples who struggle to conceive, yet men are tested later and prepared less. ESTABLISHED In my practice, both partners begin the preparation window together.



INSIDE THE HEAD OF A SPERM


Tightly packed, with doors left open

To fit into a tiny, streamlined head, about eighty five to ninety percent of human sperm DNA is wrapped not around histones but around much smaller proteins called protamines, packed almost like a crystal. ESTABLISHED

The remaining histones are not random. They sit preferentially at genes that guide early embryo development, as if bookmarks were left in the most important chapters. EMERGING The methylation on those regions travels with the DNA into the egg.

Then, as sperm pass through the epididymis, they receive cargo from tiny vesicles: small RNAs that are delivered into the egg at fertilization. In animals, changing the diet of the father changes this RNA cargo, and injecting it alone into embryos reproduces metabolic changes in the offspring. ANIMAL RESEARCH

A father contributes code, packaging, bookmarks, and messages. Every layer responds to how he lives.



WHY SPERM ARE VULNERABLE


Oxidative stress and DNA fragmentation

Sperm membranes are rich in delicate polyunsaturated fats, and mature sperm have almost no capacity to repair their own DNA. ESTABLISHED When oxidative stress outpaces antioxidant defense, strands break. This is measured as sperm DNA fragmentation.

The egg can repair some of that damage after fertilization, but its repair capacity declines with maternal age. EMERGING So his preparation also protects her.

Normal count, motility, and shape can coexist with high fragmentation, oxidative stress, mitochondrial strain, and a heavy toxic load. EMERGING A standard semen analysis answers whether sperm can reach the egg. It does not answer what they carry.

Ask your urologist or fertility specialist about a DNA fragmentation test alongside the semen analysis.




WHAT THE RESEARCH LINKS TO SPERM EPIGENETICS

The modern stressors on a father

FACTOR	WHAT STUDIES SHOW
Paternal age	More new mutations and shifting sperm methylation with age ESTABLISHED
Excess body fat and insulin resistance	Altered sperm methylation and small RNAs; in a small study, patterns shifted after major weight loss EMERGING
Smoking and nicotine	Changes in sperm methylation and more DNA damage ESTABLISHED
Cannabis	Methylation changes in sperm in small human studies EMERGING
Heat	The testes sit a few degrees cooler than the core for a reason; heat lowers quality ESTABLISHED
Chronic stress	Altered sperm small RNAs and offspring stress responses ANIMAL RESEARCH

I hold a nicotine free standard for the full preparation window, and I look at what need the nicotine meets, whether focus, calm, or ritual, so it can be met another way.



HIS GENES BUILD THE PLACENTA

The paternal signature on pregnancy itself

Some genes are expressed only from the paternal copy. Many of them drive growth of the placenta, the organ that will feed the baby for nine months. ESTABLISHED In mammals, embryos made with two maternal genomes fail largely because the placenta does not form properly.

This overturns an old assumption. The contribution of the father does not end at conception. His imprinted genes help build the very organ that negotiates nutrients, oxygen, and hormones with the mother throughout pregnancy.


> Preparing the father is not a courtesy. It is half of the biology, and part of the pregnancy too.



CHAPTER THREE

Her Lineage: The Egg and Its Mitochondria

The largest cell in the human body, waiting decades for one morning.



A CELL THAT WAITS

Born with every egg she will ever have

A woman is born with roughly one to two million immature eggs, about three to four hundred thousand remain at puberty, and only around four to five hundred will ever ovulate. ESTABLISHED

Each egg pauses partway through its division before birth and stays paused for decades. When a follicle is recruited, the egg completes a long growth phase. The final stretch, from a small growing follicle to ovulation, takes roughly three months. ESTABLISHED The full journey from a resting follicle is longer still.

So her preparation window matches his: the egg that ovulates three months from now is growing today, inside a follicle bathed in fluid that reflects her blood sugar, inflammation, nutrients, hormones, and exposures.



THE BATTERY OF A NEW LIFE

Every mitochondrion comes from the mother

The mature egg holds hundreds of thousands of copies of mitochondrial DNA, more than almost any other cell. ESTABLISHED Sperm bring a few dozen mitochondria to power their swim, and those are tagged and cleared after fertilization. ESTABLISHED

So every mitochondrion in your child, in every cell of the heart, brain, and muscles, descends from the egg of the mother. Until implantation, the early embryo runs largely on the energy stores the egg brought with it.

Mitochondrial health also shapes how precisely the egg divides its chromosomes. Errors in that division rise with age and are a leading cause of early loss. ESTABLISHED Whether better mitochondrial function in the follicle reduces those errors in people is still being studied. HYPOTHESIS



WHERE HER IMPRINTS ARE WRITTEN

Methylation is set while the egg grows

Maternal imprints, the marks that make certain genes speak only from her copy, are established during the growth phase of the egg, the same months leading to ovulation. ESTABLISHED Those marks escape the wave of erasing that follows fertilization and persist in every cell of the child.

Imprint writing depends on a steady supply of methyl groups from folate, B12, choline, and methionine. ESTABLISHED In animals, maternal diets deficient in these nutrients alter imprint establishment in the egg. ANIMAL RESEARCH

This is one of the most compelling reasons to begin nourishment three months ahead rather than at a positive test.




THE FLUID AROUND THE EGG

The follicle is a microenvironment

Follicular fluid is not a passive bath. It contains hormones, antioxidants, growth factors, and melatonin at concentrations higher than in blood, protecting the egg from oxidative stress during its final growth. ESTABLISHED

It also reflects the rest of her body. High insulin and glucose, inflammation, and environmental chemicals including bisphenols, PFAS, and phthalate byproducts have been measured in follicular fluid, and several are associated with poorer egg and embryo quality in IVF studies. EMERGING

- Steady blood sugar and insulin sensitivity
- Deep, dark, regular sleep
- Antioxidant rich, colorful food
- Fewer chemicals coming in



CARRYING WITH DONOR EGGS OR SPERM

The womb is also an author

Families are built in many ways. If you are using donor eggs, the genetic sequence comes from the donor, but the uterine environment you provide still shapes how the genes of your child are expressed. In donor egg pregnancies, the endometrium exchanges small RNAs and signals with the embryo during implantation. EMERGING

Everything in this guide that addresses the pregnancy itself, from blood sugar and thyroid to stress, nutrients, and exposures, applies fully to the person who carries the child.

The same is true in reverse with donor sperm: the carrying parent still shapes the first imprints of pregnancy, the microbiome, and the immune environment.

> Genetics is one form of inheritance. Expression is another, and expression begins with you.



CHAPTER FOUR

The Meeting: Reprogramming and Imprinting

Within hours of fertilization, a quiet erasing and rewriting begins.



THE GREAT RESET

Two waves of erasing

After sperm and egg meet, most of the methylation they carried is cleared so the embryo can become a cell that can form every tissue. ESTABLISHED The paternal genome is stripped of most methylation quickly and actively. The maternal genome is cleared more gradually over the first cell divisions. Then, around implantation, new patterns are written across the genome.

A second wave happens later inside the developing eggs or sperm, which is part of why most marks are not passed to grandchildren.

But reprogramming is incomplete by design. Imprinted genes are protected, and certain regions of the genome resist erasing. ESTABLISHED EMERGING That is the door through which parental experience can reach the next generation.



PARENT OF ORIGIN

Imprinting: the genes that remember who gave them

For roughly one to two hundred human genes, only the maternal or only the paternal copy is active. ESTABLISHED Many of these govern growth, metabolism, the placenta, and the brain. When an imprint is lost or doubled, rare imprinting disorders follow, affecting growth, feeding, sleep, behavior, and development.

Pregnancies conceived through assisted reproduction show a modestly higher relative rate of some imprinting disorders, while the absolute risk stays low. EMERGING Whether this reflects the procedures, embryo culture, or the underlying infertility is still being separated.

A tidy principle emerges: the months before conception and the first days of life are the moments when imprints are written and protected. Those are the windows we prepare for.



SIGNALS THE EMBRYO READS

The first environment is shared

Before implantation, the embryo floats in fluid from the fallopian tube and uterus. Its composition reflects maternal metabolism and inflammation, and, through seminal fluid signaling, the contribution of the father too. EMERGING

In animal studies, a low protein diet given only during the few days before implantation changes the growth, blood pressure, and behavior of offspring into adulthood. ANIMAL RESEARCH The earliest days are short, but the embryo is listening.

This is why I do not ask couples to start a cleanse, a fast, or an aggressive protocol around ovulation. The conception window needs a calm, nourished, low inflammation state.

> Pregnancy is a state of construction, not cleansing.



CHAPTER FIVE

Methylation, the Shared Language

One metabolic pathway supplies the ink for every epigenetic mark both of you pass on.



ONE CARBON METABOLISM

Where methyl groups come from

Methylation runs on a cycle that turns food into a universal methyl donor called SAMe. The cycle needs folate, B12, B6, B2, choline, betaine, zinc, magnesium, and the amino acid methionine. ESTABLISHED

When the cycle runs short, homocysteine accumulates. Elevated homocysteine is associated with poorer egg and embryo quality, lower sperm quality, recurrent pregnancy loss, and placental problems. EMERGING

That makes the methylation cycle the shared ink of inheritance. He uses it to write sperm methylation. She uses it to write imprints in the growing egg. The embryo uses it to rewrite its genome after the reset. The placenta and the fetal brain use it every day of pregnancy.



GENES AS CONTEXT, NOT VERDICTS

MTHFR and the folate conversation

Common variants in genes such as MTHFR can slow one step of folate activation. They are very common, and many carriers have healthy pregnancies. ESTABLISHED I read genetic panels as information about function and protection, never as doom.

My order is always function first: homocysteine, RBC folate, B12 with methylmalonic acid, and intracellular nutrient testing tell us how the pathway is actually performing. Then the genetic report becomes an overlay that guides food and the form of each nutrient. Folate needs in pregnancy are real for everyone, with or without a variant.

Any advice to stop folate in pregnancy is wrong. The question is form and amount, decided with your clinician.



TIMING THAT OUTRUNS THE TEST

The neural tube closes before most people know

The neural tube, the beginning of the brain and spinal cord, closes by about day twenty eight after conception, often before a missed period is noticed. ESTABLISHED Adequate folate in the months beforehand clearly lowers the risk of neural tube defects. That is why preparation cannot wait for a positive test.

Choline is the overlooked partner. It supplies methyl groups, builds cell membranes, and supports the fetal brain and placenta. Most pregnant people in national surveys fall below the recommended intake. ESTABLISHED Eggs, fish, meats, and some legumes are rich sources.

For him, folate status is associated with sperm DNA methylation and integrity. EMERGING One study found that very high folic acid intake in men changed sperm methylation patterns, a reminder that more is not always better. EMERGING



FOOD AS EPIGENETIC SIGNAL

What both plates need

- **Folate:** dark greens, lentils, asparagus, avocado
- **B12 and choline:** eggs, fish, pasture raised meats
- **Omega 3 fats:** low mercury fatty fish such as salmon and sardines
- **Zinc and selenium:** shellfish, pumpkin seeds, a Brazil nut
- **Polyphenols:** berries, herbs, olive oil, cocoa
- **Sulforaphane:** broccoli sprouts and crucifers, which switch on antioxidant genes
- **Fiber:** to feed the microbes that make butyrate, itself an epigenetic signal
- **Protein** at each meal for steady blood sugar

I do not stack supplements by default. Nutrient sufficiency, confirmed by testing and matched to genetics, is the goal, with every product reviewed for pregnancy safety.



THE SECOND ENGINE

Blood sugar writes on the genome too

Insulin resistance changes the environment of both gametes. In women it is a central driver of PCOS, disrupting ovulation and egg development. In men, excess body fat converts testosterone to estrogen and is associated with lower sperm quality and altered sperm methylation. ESTABLISHED EMERGING

During pregnancy, high maternal blood sugar is associated with larger babies and with higher metabolic risk in children as they grow. ESTABLISHED

- Protein and fiber first at each meal
- A walk of ten to fifteen minutes after eating
- Fewer liquid sugars and refined starches
- Fasting insulin and HbA1c tested for both partners



CHAPTER SIX

The Toxic Bucket for Two

Reduce what comes in first. Support what goes out second. Never mobilize into a pregnancy.



WHAT REACHES THE GAMETES

Chemicals found where life begins

Endocrine disrupting chemicals mimic or block hormones at tiny doses. Several have been measured in follicular fluid, semen, and cord blood. ESTABLISHED

- **Phthalates,** from fragrance and soft plastics: associated with lower sperm quality and with subtle changes in male genital development in sons. EMERGING
- **Bisphenols,** from can linings, receipts, and some plastics: disrupt the chromosome dividing machinery in animal studies. ANIMAL RESEARCH
- **PFAS,** from nonstick and stain resistant coatings: cross the placenta and persist for years. ESTABLISHED
- **Pesticides, lead, mercury, and cadmium:** associated with poorer semen and egg quality. EMERGING
- **Microplastics** have now been detected in human placenta, testes, semen, and follicular fluid. What they do there is still being studied. EMERGING



THE ORDER MATTERS

Why I never detox close to conception

I picture toxic burden as a bucket. Many inputs pour in: food, water, air, products, mold, metals, stress. When the bucket overflows, symptoms appear, and regulation is often the first thing to falter.

The answer is not to start draining aggressively. Many persistent chemicals are stored in fat, and rapid fat loss can raise their levels in the blood. ESTABLISHED Aggressive detox or chelation can mobilize stored toxicants at the exact moment you want circulating levels lowest. HYPOTHESIS

My sequence: reduce incoming exposures as soon as possible, so sperm and egg can be built in a cleaner environment by week twelve. Then open drainage gently: bowels, liver and bile, lymph, kidneys, skin. Deeper detox work is completed well before the conception window, never during it.



SWAP THE FIVE TO TEN BIGGEST SOURCES

Your first two weeks of changes

- Glass or stainless steel for food and drinks, never heated plastic
- Filtered drinking and cooking water
- Fragrance free soap, lotion, laundry, and cleaners
- Stainless, cast iron, or ceramic in place of nonstick
- Organic for the most sprayed produce
- No receipts handled, especially with lotion on
- Low mercury fish only
- Cleaner indoor air: ventilation and a HEPA filter
- Any water damage or mold addressed
- Cooler, looser underwear and no laptop on the lap for him

For the full room by room list, see my companion guide, Environmental Health Before Pregnancy, on the Resources page.



A SPERM AND EGG HARD NO LIST

What to set down for these three months

SET DOWN	WHY IT MATTERS FOR THE GAMETES
Nicotine in every form	Oxidative stress, DNA damage, and sperm methylation changes
Alcohol	Associated with lower semen and egg quality and early loss
Cannabis	Methylation changes in sperm and hormone disruption
Fried and reheated industrial seed oils	Oxidized fats increase the oxidative load on fat rich sperm membranes
Fragrance and soft plastics	Phthalate exposure
Saunas, hot tubs, heated seats	Heat lowers sperm quality for him

Never stop a prescribed medication on your own. Review every medication, including stimulants and testosterone, with the prescriber; testosterone therapy can suppress sperm production.



CHAPTER SEVEN

The Nervous System Signal

Fertility is deeply neurological. The body does not prioritize reproduction when it perceives danger.



THE BRAIN IS THE MASTER SYSTEM

Reproduction runs on a pulse

The hypothalamus releases GnRH in precise pulses that drive LH and FSH from the pituitary, which in turn drive ovulation in her and sperm production and testosterone in him. ESTABLISHED

That pulse is exquisitely sensitive to safety. Stress hormones, under eating, overtraining, poor sleep, and inflammation slow it. In women, enough suppression stops ovulation altogether, a condition called functional hypothalamic amenorrhea. ESTABLISHED In men, psychological stress is associated with lower semen quality. EMERGING

This is the clinical reality behind my phrase: the body does not prioritize reproduction when it perceives danger. A comprehensive functional neurological exam shows how your autonomic system is carrying that load.



STRESS TRAVELS


What paternal stress can write

In mice, fathers exposed to chronic stress before conception produce sperm with altered small RNAs, and their offspring show blunted stress hormone responses. Injecting those RNAs into normal embryos reproduces the change. ANIMAL RESEARCH

In another mouse study, fathers conditioned to fear a specific scent had offspring, and even grand offspring, more sensitive to that scent, with changes in the sperm methylation of the related smell receptor gene. ANIMAL RESEARCH

Human evidence is earlier, but the principle is consistent: the nervous system state of both parents is part of the preparation. HYPOTHESIS

> Calm is not a luxury in the preconception window. It is a biological input.




DAILY PRACTICES FOR BOTH OF YOU

Training the brake

These functional neurology practices support vagal tone and the brainstem centers that set autonomic balance. Ten minutes a day, together if you can.

- **Long exhale breathing:** in through the nose for four seconds, out for six to eight, for five minutes.
- **Humming or singing:** one to two minutes; the vocal cords share vagal wiring.
- **Morning outdoor light:** ten minutes within an hour of waking to anchor the circadian clock.
- **Smooth eye pursuits:** follow a thumb slowly side to side for one minute to settle the brainstem.
- **Evening downshift:** screens off, lights low, a slow walk or stretch.
- **Connection:** eye contact, touch, and unhurried conversation, which signal safety to both nervous systems.



DARKNESS AND RHYTHM

Sleep as reproductive medicine

Melatonin is not only a sleep hormone. It is an antioxidant concentrated in follicular fluid, and its levels there track with egg quality in IVF studies. EMERGING Night shift work and irregular sleep are associated with menstrual irregularity and lower fertility. EMERGING

For men, short sleep is associated with lower testosterone and poorer semen quality, and testosterone is largely produced during sleep. ESTABLISHED

- Seven to nine hours, at consistent times
- A truly dark bedroom, cool and quiet
- Bright light in the morning, dim warm light at night
- Late caffeine and late meals moved earlier



CHAPTER EIGHT

Immune Tolerance and the Microbiome

Half of every baby is foreign to the mother. Peace is negotiated, and both partners take part.



A CONVERSATION BETWEEN PARTNERS

Seminal fluid speaks to her immune system

An embryo carries paternal proteins, so the maternal immune system must come to tolerate it. Remarkably, part of that process begins before conception. Seminal fluid contains signaling molecules that prompt the uterus to expand regulatory T cells, the immune cells that create tolerance to paternal proteins. ANIMAL RESEARCH EMERGING

In animals this priming improves implantation and placental development, and human studies suggest a similar dialogue. EMERGING

This is one more reason his health matters: inflammation and infection in him change the signals in seminal fluid that her immune system reads.



THE QUIET ECOSYSTEMS

Microbes in the reproductive story

- **The gut,** through its estrobolome, helps regulate how estrogen is recycled or cleared. EMERGING
- **The vaginal and uterine microbiome:** communities dominated by protective Lactobacillus are associated with better implantation in IVF studies. EMERGING
- **The seminal microbiome:** imbalances are associated with lower sperm quality, and partners share microbes. EMERGING
- **Butyrate,** made by gut microbes from fiber, is itself an epigenetic signal that influences histone marks and immune tolerance. ESTABLISHED

In my sequence, gut restoration comes before hormone work. A calmer gut lowers inflammation, histamine, and immune load, which prepares a steadier environment for implantation. HYPOTHESIS




IMMUNE PATTERNS WORTH TESTING

When tolerance needs support

Thyroid autoimmunity, measured by TPO and thyroglobulin antibodies, is associated with a higher rate of miscarriage even when thyroid levels look normal. ESTABLISHED Celiac disease that has not been diagnosed is associated with infertility and loss. EMERGING Antiphospholipid antibodies are a known, treatable cause of recurrent loss. ESTABLISHED

Recurrent loss deserves a full reproductive specialist evaluation, and I coordinate with that team. Alongside it, I look upstream at histamine and mast cell activity, gut barrier health, mold and biotoxin exposure, and blood sugar, because each changes immune tone.

Severe pelvic pain, heavy bleeding, fainting, or fever in early pregnancy needs emergency care first.



CHAPTER NINE

Fetal Programming: The Nine Month Conversation

The womb is the first environment. What the fetus senses, it prepares for.



DEVELOPMENTAL ORIGINS OF HEALTH

The fetus reads the world through its mother

A growing fetus continually reads signals from maternal blood: nutrients, glucose, oxygen, stress hormones, inflammatory messengers, and chemicals. It adjusts its development to the world those signals predict. ESTABLISHED

This is called developmental programming. Low birth weight, high maternal blood sugar, and severe maternal stress are each associated with higher risk of metabolic, cardiovascular, and mood conditions decades later. ESTABLISHED The mechanisms include epigenetic marks on genes for growth, insulin signaling, and the stress response. EMERGING

Programming is a tendency, not a sentence. The life of the child continues to shape expression. But the prenatal months set the starting settings.



CRITICAL WINDOWS

A map of the nine months

WHEN	WHAT IS BEING BUILT
Weeks 3 to 8	Every major organ begins; the neural tube closes by about day 28
First half	The fetal brain depends on maternal thyroid hormone until the fetal thyroid matures around mid pregnancy
Around mid pregnancy	In a daughter, the egg supply peaks; in a son, the testes are shaping future sperm stem cells
Throughout	The stress hormone system is being calibrated
Third trimester	Rapid brain growth and DHA accumulation in the brain and retina

All windows are established in human development; exact timing varies slightly between sources.



THE PLACENTAL SHIELD

Stress, cortisol, and the fetal brain

The placenta makes an enzyme that inactivates most maternal cortisol before it reaches the fetus. ESTABLISHED Severe or chronic stress, and some inflammatory states, can lower that shield, allowing more cortisol through. EMERGING

Higher prenatal stress is associated with changes in the stress response of the child, sleep, and emotional regulation, with epigenetic marks on the glucocorticoid receptor gene among the studied mechanisms. EMERGING

The answer is not fear about every hard day. Ordinary stress is part of life. What matters is recovery: sleep, nourishment, connection, and a nervous system that returns to calm. A partner who shares the load is part of that buffer.



CONSTRUCTION, NOT CLEANSING

What the building needs

- **DHA** for the brain and retina
- **Choline** for the brain, placenta, and methylation
- **Iodine** for fetal thyroid and brain
- **Iron** for the expanding blood supply
- **Folate and B12** for methylation and cell division
- **Protein** for every new tissue
- **Vitamin D** for immune and bone development
- **Minerals** from food and gentle mineralizing teas

Pregnancy is not the time for binders, kill phases, chelation, or detox teas. It is a time for nourishment, stability, and regulation. Every supplement and herb is reviewed for pregnancy safety, and birth plans stay with your obstetric team.



THE FATHER DURING PREGNANCY

His role continues

A father shapes the pregnancy environment through the home he keeps, the air she breathes, and the calm he brings. Secondhand smoke, chemical hobbies, and workplace exposures carried home on clothing all reach the pregnancy. ESTABLISHED

- Keep the home smoke and vape free.
- Change out of work clothes before contact if you handle chemicals, solvents, or metals.
- Take on painting, cleaning, and litter box duty.
- Share the mental load so her recovery time is real.
- Keep your own sleep, food, and stress practices going: the next child, and your own health, depend on them too.



CHAPTER TEN

Your Twelve Week Plan for Two

One full cycle of sperm production and egg maturation, prepared together.



THE SEQUENCE I USE

Twelve weeks, step by step

WEEKS	FOCUS FOR BOTH PARTNERS
1	Mindset and epigenetics. Readiness assessment and baseline labs for both.
2	Reduce incoming exposures. Replace the five to ten biggest sources.
3 to 4	Food as epigenetic signal. Methylation nutrients, steady blood sugar.
5 to 6	Mitochondria and energy. Sleep, light, movement, heat avoidance for him.
7 to 8	Gut, microbiome, and gentle drainage. No aggressive detox.
9 to 10	Hormones, brain, and immune balance. Nervous system practices daily.
11 to 12	Repeat the assessment and key labs. Prepare the conception window.

Complex situations, such as recurrent loss, PCOS, endometriosis, autoimmunity, or male factor, often need more than twelve weeks.



WHAT I LOOK AT

Testing for both partners


For her

- AMH, FSH, LH, estradiol early in the cycle
- Progesterone about seven days after confirmed ovulation
- Full thyroid with TPO and thyroglobulin antibodies
- Fasting glucose, insulin, HbA1c
- Ferritin and iron, vitamin D, B12, RBC folate, homocysteine
- Androgens, SHBG, DHEA-S, prolactin, hs-CRP

For him

- Semen analysis with DNA fragmentation
- Testosterone, LH, FSH, estradiol, prolactin
- Full thyroid panel
- Fasting insulin, HbA1c, inflammatory markers
- Vitamin D, zinc, selenium, omega 3 index
- Homocysteine, B12, folate

Both partners also receive an exposure history and a comprehensive functional neurological exam. Every test should answer a defined clinical question.



YOUR READINESS CHECK

Rate each from 1 to 5, now and at week twelve

AREA	HER	HIM
Whole food meals with protein and color, most days		
Seven or more hours of dark, regular sleep		
Daily movement without overtraining		
Stress that recovers to calm each day		
Nicotine, alcohol, and cannabis free		
Top ten exposure sources replaced		
Regular bowels and steady digestion		
Labs reviewed and nutrient gaps addressed		

Seeing the change on paper keeps both of you motivated, and shows where to focus next.



BRING THESE TO YOUR APPOINTMENT


Questions worth asking

- Has my partner been evaluated as fully as I have?
- Should we test sperm DNA fragmentation, not only a semen analysis?
- Was my progesterone timed to confirmed ovulation?
- Have thyroid antibodies, fasting insulin, and homocysteine been checked for both of us?
- Which of my medications or supplements affect sperm, eggs, or early pregnancy?
- What are the biggest exposure sources in our home and work?
- Is any detox or protocol I am on appropriate this close to conception?
- What will we retest at week twelve, and why?

QUICK REFERENCE

Your checklist for two

- [ ] Start at least twelve weeks before trying, both of you.
- [ ] Test both partners, including sperm DNA fragmentation.
- [ ] Replace the five to ten biggest exposure sources first.
- [ ] Set down nicotine, alcohol, and cannabis for the window.
- [ ] Feed the methylation cycle: greens, eggs, fish, legumes.
- [ ] Steady blood sugar with protein and fiber first.
- [ ] Keep him cool: no hot tubs, saunas, or laptops on the lap.
- [ ] Sleep seven to nine dark hours on a regular rhythm.
- [ ] Ten minutes of nervous system practice daily, together.
- [ ] Restore the gut before hormone work.
- [ ] Open drainage gently; never detox close to conception.
- [ ] In pregnancy: construction, not cleansing.



REMEMBER


You are writing the first instructions.

His three months build the sperm.
Her three months grow the egg.
Your shared months write the first marks.
Nine more months calibrate a life.

Your child will inherit two lineages. Each carries the history of everyone before you, and each is still listening to how you live today. Preparing both partners is not about perfection. It is about giving the next generation the clearest possible signal: safety, nourishment, and rhythm. Our brain and body are one connected system, and so is a family.

ABOUT THE AUTHOR

Dr. Leila Doolittle




Dr. Leila Doolittle is a Doctor of Chiropractic practicing Functional Medicine and Functional Neurology. She is the founder and lead clinician of Resonance Wellness and the host of The Resonant Life Podcast.

Her fertility work prepares both partners across a full cycle of sperm and egg development, with extended laboratory testing, comprehensive functional neurological exams, exposure reduction, and nutrition matched to genetics and epigenetics. She looks for the contributing root causes beneath symptoms, and she coordinates with reproductive specialists, urologists, and obstetric teams.

Raised on an Ozark farm, she now spends much of her time on the land she loves, where she is building Resonant Ranch, a place where the land itself is part of the medicine.

This guide is for education. It does not replace individual medical care or fertility treatment. Studies cited describe populations and associations, not individual outcomes. If you have severe pain, heavy bleeding, fainting, or any urgent symptom, seek medical care promptly.



YOUR NEXT STEP, TOGETHER

Prepare Both Lineages. Begin With an Evaluation.

Book your Comprehensive Functional Medicine Eval/Neurological Exam today to discover what the contributing root causes are that are underlying your health concerns.

Telehealth, Dallas, and Compton

drleiladoolittle.com